



Installation Checklist



FAX BACK TO 091 444530

or mail to above address or phone in details to 091 776681

Trading name:

Address:

County

Nature of Business

Contact Name

Telephone:

Mobile:

Fax:

Email:

Electrical supply:

13 Amp Are there two 13 amp plugs within 1 meter of the proposed coffee machine? YES NO
or

16-20 Amp Is there an isolated surface mounted 16/20 amp switch? YES NO
Hard wire: (Connect directly to the circuit breaker via separate switch)

Water supply:

Do you have a mains water supply for the coffee machine terminating in a 3/4 inch connection YES NO
I.e. washing machine connection? This has to be available exclusively for the coffee machine water hose.

Does the water pressure on site have normal operating pressure (1-10 bar (15-150psi)) YES NO

Do you have hard water? YES NO

You may need a water filter if there is lime present in your water supply- The engineer will carry out a water hardness test on site.

Water waste:

Do you have a waste pipe set exclusively aside for the coffee machine YES NO
If you don't have the waste pipe set up you could a waste bucket temporarily.

Coffee counter:

Does the counter have all necessary holes predrilled? YES NO
This needs to be done before the engineer arrives on the site



Please ensure that all works are completed before any engineer is sent out.

The engineer is paid at an hourly rate and you are allocated a set amount of time.

Should the engineer have to wait or carry out additional works there will be an additional charge



FAX BACK this page only TO 091 444530

Warranty

Your 1 year factory warranty covers any material fault found on the machine and will be replaced free of charge with no charge for the labour.

You will be asked to state the nature of the problem over the phone and an engineer will be sent out as soon as possible to rectify the problem.

Your 1 year factory warranty does not cover the following:

- Poor water quality
- Lime scale
- Unsuitable water pressure
- Faults that occur due to failure to clean machine
- Coffee grinder adjustments
- Coffee programme adjustments

We recommend that all coffee machines be fitted with a water filter to prevent lime scale build up -even areas that little water hardness. You will have cleaner water, no after taste from the chlorine, no build up of sediment and no costly call out charges to de-scale the coffee machine.

Installation

Your coffee machine comes with the following as standard:


- 1 x Delivery – Delivered by courier days proceeding or by engineer on the day.
- 1 x Training module – Full training session available after installation – Please have key staff on site.
- 1 x Installation- Installation will be carried out by a trained technician. Please ensure site is ready as extra cost may be incurred by delays. Allow up to 1 hour for the installation.

If you are unable to attend training on the appointed time an additional training module may be purchased and can be made by appointment.

 **FAX BACK TO 091 444530**

Please fax back page 1 before installation

This is to ensure that there are no additional installation costs incurred and the installation can proceed quickly and smoothly

 **FAX BACK page 1 only TO 091 444530**

1. INSTALLATION CONDITIONS FOR A NEW ESPRESSO COFFEE MACHINE

- ♦ **All connection elements** should be positioned no more than 1 metre away from the machine.
- ♦ **The water inlet** must have an individual stop tap, near to the machine.
- ♦ **The outlet pipe** must have a minimum diameter of 40 mm.
- ♦ **The electricity supply** must be adapted to the machine's specifications, and must be equipped with a linear protection device and a differential device which comply with current regulations.
- ♦ **Accessories** : To allow the machine's initial settings to be configured, all **accessories** must be immediately to hand: cups, coffee and grinder.

